


Inner West Pedestrian Access and Mobility Plan

Draft Report

Inner West Council

08 April 2021



Gold Coast

Suite 26, 58 Riverwalk Avenue Robina QLD 4226 P: (07) 5562 5377 Brisbane

Level 2, 428 Upper Edward Street Spring Hill QLD 4000 P: (07) 3831 4442 **Sydney** Studio 203, 3 Gladstone Street Newtown NSW 2042 P: (02) 9557 6202

W: www.bitziosconsulting.com.au

E: admin@bitziosconsulting.com.au

Copyright in the information and data in this document is the property of Bitzios Consulting. This document and its information and data is for the use of the authorised recipient and this document may not be used, copied or reproduced in whole or in part for any purpose other than for which it was supplied by Bitzios Consulting. Bitzios Consulting makes no representation, undertakes no duty and accepts no responsibility to any third party who may use or rely upon this document or its information and data.

Document Issue History

Report File Name	Prepared	Reviewed	Issued	Date	Issued to
P4909.001R Inner West PAMP - Draft	M. Hearne, K. Wu, G. Yin	S. Brooke	G. Yin	26/03/2021	Felica Lau (Inner West Council) Via email: felicia.lau@innerwest.nsw.gov.au
P4909.002R Inner West PAMP - Draft	G. Yin	S. Brooke	G. Yin	08/04/2021	Felica Lau (Inner West Council) Via <i>Google DropBox:</i> felicia.lau@innerwest.nsw.gov.au



EXECUTIVE SUMMARY

The Inner West is one of Sydney's most populated LGAs and has the second highest population density. As such, there is great benefit to shift people away from private vehicles and onto active transport options. Regardless of travel modes, walking typically makes up the start or end of any trip.

Bitzios Consulting was commissioned by Inner West Council to undertake and develop the Inner West PAMP to provide an updated and consolidated PAMP that covers the entire LGA. The PAMP intends to provide Council with a long-term strategy for the development and improvement of pedestrian routes and facilities with a focus on encouraging and increasing localised pedestrian activity.

The PAMP was developed in accordance with Transport for NSW's Guide 'How to Prepare a Pedestrian Access and Mobility Plan'.

The overarching objectives of the PAMP included:

- To facilitate improvements in the level of pedestrian access and priority, particularly in areas of pedestrian concentration
- To reduce pedestrians access severance and enhance safe and convenient crossing opportunities
- To identify and resolve pedestrian crash clusters
- To ensure that pedestrian facilities remain appropriate and relevant to the surrounding land use and pedestrian user groups.

An initial engagement program was conducted to gain an insight on pedestrian and access issues currently faced by Inner West residents and visitors. The engagement process was primarily conducted online using an interactive map on the *Your Say* website and yielded responses from nearly 300 users. Most of who lived within the Inner West.

The demographic of the Inner West is primarily made up of parents and home-owners (aged 35 to 49) and the young workforce (aged 25-34) both of which are higher than the Greater Sydney average.

Journey to work statistics also show most residents work in adjoining LGAs (including City of Sydney) which places further importance on walking as a primary travel mode. Around 5% of residents currently walk to work.

The PAMP focusses on key areas and strategic links throughout the LGA and includes all 26 suburb areas. A review of pedestrian attractors and generators show a strong distribution across the study area, including schools, parks and community facilities.

Historic crash data shows a concentration of pedestrian related crashes within town centres and along main road corridors, totalling 324 crashes over the past five years.

Routes were selected as part of the investigation based on previously developed PAMPs (Ashfield, Leichardt and Marrickville) and various strategic documentation. These routes were then subject to a detailed site investigation and audit looking into pedestrian issues relating to missing pathways, narrow pathways, crossing deficiencies, obstructions, connectivity issues and pedestrian safety issues.

A recommended works program has been developed to assign a priority to each correcting action associated with identified issues. The action plan will inform future works program and assist Council in programming future works to improve the pedestrian network.

Based on these recommended actions, the project was estimated to cost approximately **\$13.8 million**, with an additional **\$2.8 million** as a project contingency.



CONTENTS

		Page
Exec	CUTIVE SUMMARY	III
1.	INTRODUCTION	7
1.1	Background	7
1.2	PAMP Methodology	7
2.	PAMP OBJECTIVES	10
2.1	Overview	10
2.2	Connectivity and Missing Links	10
3.	COMMUNITY AND STAKEHOLDER ENGAGEMENT	11
3.1	Engagement Process	11
3.2	Interactive Mapping	11
3.3	Email Submissions	12
3.4	Community Group Sessions	12
3.5	Use of Community Engagement Findings in PAMP	13
4.	INNER WEST CHARACTERISTICS	14
4.1	Overview	14
4.2	Population	15
4.2.1	Overview	15
4.2.2	Current demographics	16
4.3	Employment in the Inner West	17
4.4	Journey to Work data	17
4.5	Transport Characteristics	19
4.5.1	Travel characteristics	19
4.5.2	Public Transport	19
5.	PAMP Focus Areas	22
5.1	Overview	22
6.	RESEARCH AND REVIEW	24
6.1	Overview	24
6.2	State Government Plans	24
6.2.1	Eastern City District Plan	24
6.3	Local Plans and Strategies	24
6.3.1	Community Strategic Plan	24
6.3.2	Inner West Integrated Transport Plan (ITS)	25
6.3.3	Inclusion Action Plan	25
6.4	Local Plans and Projects	26
6.4.1	Greenway – Cooks River to Iron Cove	26
6.4.2	Parramatta Road Urban Transformation Strategy	26
6.5	Previous PAMPs	27
6.5.1	Marrickville PAMP (2009)	27
6.5.2	Leichhardt PAMP (2014)	27
6.5.3	Ashfield PAMP (2016)	27
6.6	Planned Infrastructure and Major Developments	27
6.6.1	Sydney Metro	27
6.6.2	Westconnex	28



Inner West Pedestrian Access and Mobility Plan: Draft Report Project: P4909 Version: 002

Overview Crash Summary by Suburb Crashes by Street Crash Severity	29 30
Crashes by Street	
-	
	32
Grash Geventy	32
Crash Type	33
Crash Clusters	35
Crash Data Analysis Summary	35
DEVELOPMENT OF PRIORITISED PEDESTRIAN NETWORK	37
Overview	37
Route Selection	37
Route Hierarchy	39
Route Segments	39
Scoring Criteria	39
Segment Ranking / Priority	40
PEDESTRIAN ROUTE AUDITS	42
Methodology	42
Audit Findings	45
Audit Limitations	47
Recommended Works Program	49
Works Prioritisation	49
Prioritisation criteria	49
Scoring system	49
Implementation Costs	51
Other Costs	53
Other Pedestrian Routes	53
Ongoing Maintenance	53
Major Infrastructure and Projects	54
Implementation of Treatments and Further Investigations	54
IMPLEMENTATION AND FUNDING	55
Potential funding sources	55
Transport for NSW	55
Contribution Plans	55
Monitoring and Evaluation	55
CONCLUSIONS AND RECOMMENDATIONS	56
Conclusions	56
	Crash Severity Crash Type Crash Clusters Crash Data Analysis Summary DEVELOPMENT OF PRIORITISED PEDESTRIAN NETWORK Deverview Route Selection Route Selection Route Hierarchy Route Segments Scoring Criteria Segment Ranking / Priority PEDESTRIAN ROUTE AUDITS Methodology Audit Findings Audit Limitations RECOMMENDED WORKS PROGRAM Works Prioritisation Prioritisation Prioritisation Prioritisation Cher Costs Other Podestrian Routes Ongoing Maintenance Major Infrastructure and Projects Implementation of Treatments and Further Investigations IMPLEMENTATION AND FUNDING Potential funding sources Transport for NSW Contribution Plans Monitoring and Evaluation CONCLUSIONS AND RECOMMENDATIONS

Tables

- Table 4.1: Key Bus Services
 Table 7.1: Pedestrian Crashes by Suburb
 Table 7.2: Highest Number of Pedestrian Involved Crashes by Street
 Table 7.3: Crash Severity
 Table 7.4: Pedestrian Involved Crash Types
 Table 7.5: Crash Type Severity
- Table 7.6: Intersection Crash Clusters Pedestrian Involved Crashes
- Table 8.1: PAMP Route Criteria and Scoring
- Table 8.2: Segment Ranking



- Table 9.1: Audit Issues Examples
- Table 9.2: Audit Issues by Type
- Table 9.3:Locations Not Audited
- Table 10.1: Treatment Priority Scoring Criteria
- Table 10.2: Project Costs
- Table 10.3: Cost by Priority

Figures

- Figure 1.1: PAMP Development Methodology
- Figure 1.2: PAMP Study Area Inner West LGA
- Figure 3.1: Inner West Council Your Say Website and Interactive Map
- Figure 4.1 Inner West LGA and Surrounds
- Figure 4.2 Population Density of the Inner West LGA
- Figure 4.3 Age Profile of Inner West in Comparison with Greater Sydney
- Figure 4.4 Employment Industry Profile of Inner West
- Figure 4.5 Resident Employment Location
- Figure 4.6 Travel Mode Share of Inner West Residents
- Figure 4.7 Public Transport within the Inner West
- Figure 5.1 Pedestrian Attractors and Generators within Inner West LGA
- Figure 7.1 Total Number of Pedestrian Crashes for Inner West LGA
- Figure 7.2 Inner West LGA Crash Map Pedestrian Involved Crashes
- Figure 8.1 Inner West PAMP Routes
- Figure 8.2: Route Segment Rankings
- Figure 9.1: Pedestrian Route Deficiencies
- Figure 10.1: Priority Issues and Works

Appendices

Appendix A: Engagement Outcomes Report Appendix B: Audit Routes Appendix C: Route Hierarchy Appendix D: Audit Findings Appendix E: Detailed Works Program



1. INTRODUCTION

1.1 Background

Active modes of transport are the most basic and equitable forms of transport available. Most individual trips, regardless of the type of transport used, begin and / or finish with a walk section, making walking a major element of all travel. Of the top 20 most populated LGAs in Sydney, the Inner West has the second highest population density. Areas such as these often see higher degrees of benefit to shift people away from private vehicles and onto active transport options. This would be especially beneficial in the Inner West, where old, narrow streets have limited options for improvement.

The most recent PAMP was commissioned by former Ashfield Council in 2015/16, whilst the former Leichhardt PAMP was updated in 2014 and former Marrickville PAMP updated in 2009. Since the amalgamation of Ashfield, Leichardt and Marrickville Councils in 2016, there have been a number of changes to land use, policy and infrastructure which has triggered the need to develop an updated and consistent PAMP for the entire Inner West LGA.

Bitzios Consulting was commissioned by Inner West Council (Council) to develop the updated PAMP, with the intention of providing Council a long-term strategy for the development and improvement of pedestrian routes and facilities with a focus on encouraging and increasing localised pedestrian activity within the Inner West LGA. This can be achieved by improving the safety, convenience, connectivity, and accessibility of pedestrian routes across the network.

This report presents the findings of the study and contains the following:

- An assessment of the existing situation, activity centres and pedestrian routes
- Identification of deficiencies in the existing pedestrian network
- An audit of identified pedestrian routes
- A list of recommendations to detail and priorities as future projects for Council to implement.

1.2 PAMP Methodology

The purpose of this PAMP is to guide the future provision and management of pedestrian access and mobility facilities within the Inner West. To achieve this, the PAMP was developed in accordance with the TfNSW Guide *'How to Prepare a Pedestrian Access and Mobility Plan'*. This guide identifies three stages in the PAMP process, shown in Figure 1.1.

- Stage 1: Defining Objectives
- Stage 2: Preparation and community consultation
- Stage 3: Implementation.






Figure 1.1: PAMP Development Methodology

This PAMP study covers the entire Inner West LGA, shown in Figure 1.2, with focus on key areas and emphasis on routes identified in previous Council PAMPs and other Inner West Council strategic documents. In consultation with Council, a defined PAMP area for this study was developed, which is further discussed and presented in Section 8.






Figure 1.2: PAMP Study Area – Inner West LGA



2. PAMP OBJECTIVES

2.1 Overview

The aim of this PAMP is to provide a strategy that improves pedestrian safety and promotes walking throughout the Inner West LGA. The PAMP objectives as outlined in the NSW TfNSW Guide *'How to Prepare a Pedestrian Access and Mobility Plan'*, have been incorporated in this PAMP as follows:

- To facilitate improvements in the level of pedestrian access and priority, particularly in areas of pedestrian concentration
- To reduce pedestrians access severance and enhance safe and convenient crossing opportunities
- To identify and resolve pedestrian crash clusters
- To ensure that pedestrian facilities remain appropriate and relevant to the surrounding land use and pedestrian user groups.

These overarching objectives will drive the purpose and implementation of this PAMP.

2.2 Connectivity and Missing Links

In addition, the Inner West PAMP specifically aims to:

- Provide a network of safe, inclusive, connected and convenient pedestrian routes which will encourage the shift from car dependency to walking.
- Enhance the pedestrian network to allow all pedestrians to enjoy safe, convenient and coherent independent mobility.

A key focus of the PAMP is to identify and complete key pedestrian connections in the wider pedestrian network. Improving connectivity would also include the provision of usable and safe crossing facilities such as kerb ramps or pedestrian refuges connecting two footpaths across a section of road, or provision of pedestrian priority facilities such as pedestrian crossings or shared zones.



3. COMMUNITY AND STAKEHOLDER ENGAGEMENT

3.1 Engagement Process

An initial engagement program was conducted by Council to gather resident feedback on existing pedestrian issues across the Inner West. The engagement period was conducted between 23 November and 22 December 2020. Three community engagement methods were used:

- Online via an interactive map on Your Say Inner West
- Online via individual email submissions
- Community group sessions

Local democracy groups and community groups were invited to participate in the community group sessions. The Vietnamese Seniors Group and Arabic Seniors Group accepted the invitation and inlanguage sessions were conducted with these two groups via interpreters.

A detailed review of the input from the engagement is discussed in the Engagement Outcomes Report, included in **Appendix A**.

3.2 Interactive Mapping

An online interactive map via the *Your Say* website allowed users to place a pin under different categories to provide location-based comments of pedestrian issues, shown Figure 3.1.

A summary of the findings from this engagement method is as follows:

- A total of 836 responses were submitted from 295 participants
- 98% of responses were provided by Inner West residents
- The majority (52%) of participants are within the 35-49 year age group
- The majority of participants reside in Annandale (14%), Leichhardt (11%), Marrickville (11%), and Stanmore (10%)
- Footpaths within the Inner West are used for a variety of purposes, in which there is no dominant purpose
- Using footpaths for travelling to/from shops is the most common (19%), and travelling to/from school is the least common (9%)
- A relatively similar proportion of participants use footpaths to commute to work (13%) and for leisure, health and fitness purposes (13%)
- The most common categories of submissions were related to safety concerns (62%) and accessibility concerns (15%)
- Notably, the top three reported submissions were related to vehicle behaviours, footpath connectivity and obstructions, and crossing deficiencies, comprising of approximately 70% of all submissions
- The greatest number of responses submitted were recorded in the suburbs of Marrickville (14%), Newtown (11%), Ashfield (10%), and Annandale (9%).





Figure 3.1: Inner West Council – Your Say Website and Interactive Map

3.3 Email Submissions

An email campaign allowed users to submit individual responses if they did not wish to use the online interactive map. A summary of findings from this engagement method is as follows:

- A total of 14 individual responses were received from individuals and groups of residents of the Inner West, including the local State MP for Summer Hill, Jo Haylen, supporting the pedestrian study
- The common themes across all responses were related to footpath facilities and pedestrian safety.

3.4 Community Group Sessions

Local democracy groups and community groups were invited to participate in the community group sessions. The Vietnamese Seniors Group and Arabic Seniors Group accepted the invitation and inlanguage sessions were conducted with these two groups via interpreters.

A summary of findings from this engagement method is as follows:

- A total of 3 community groups were engaged including a Vietnamese mother's group, Vietnamese senior's group, and Arabic senior's group
- A total of 31 issues were provided by 30 participants involved
- The most commonly raised concerns were related to the following:
 - Poor pedestrian facilities on Petersham Road (29%)
 - Cars parking on footpaths (10%)
 - Accessibility difficulties with uneven footpaths due to tree roots (10%).



3.5 Use of Community Engagement Findings in PAMP

Overall, a total of 881 submissions were received from 339 participants involved in the engagement process.

The data received provided important insights on the behaviours, challenges and issues for pedestrians in the Inner West and identified locations of key concerns related to pedestrian accessibility, connectivity, and safety. The locations of these related issues were identified and considered in the PAMP study.




4. INNER WEST CHARACTERISTICS

4.1 Overview

The Inner West is located in NSW, within the inner Sydney city area. It is located adjacent to the Sydney CBD area and is bounded by City of Sydney LGA to the east, Bayside LGA to the south, Canterbury-Bankstown LGA and Burwood LGA to the west, and Canada Bay LGA and the Parramatta River to the north.

The Inner West has a total area of approximately 35 km², and is predominantly comprised of residential areas, but also has substantial commercial, industrial and marina areas.



A map of the Inner West LGA and surrounds is shown in Figure 4.1.

Source: NationalMap

Figure 4.1 Inner West LGA and Surrounds




4.2 Population

4.2.1 Overview

Inner West has an estimated population (2021) of around 204,400 people, according to Australian Bureau of Statistics (ABS) Census Data, and is forecast to reach 247,881 people by the year 2041, representing a 21.7% increase over the 20 years from 2021.

The Inner West is one of Sydney's most populated LGAs and has the second highest population density. Figure 4.2 illustrates the population density by area within the Inner West LGA.



Source: Inner West Social Atlas

Figure 4.2 Population Density of the Inner West LGA

The population is dispersed across the LGA with the highest density areas located in Newtown, Ashfield, Dulwich Hill, and Balmain, with densities between 70 to 100 persons per hectare.




4.2.2 Current demographics

Pedestrian planning considers a number of pedestrian facility user groups based on age and assumed mobility levels. To develop this PAMP, key pedestrian demographic groups were derived from TfNSW's Guide *How to Prepare a Pedestrian Access and Mobility Plan*, as follows:

- Infants (ages 0 4)
- Pre-school (ages 5 8)
- Primary (ages 9 11)
- Secondary (ages 12 17)
- Young adults (ages 18 25)
- Adults (ages 26 59)
 - Adults (a) from 26 39 years old
 - Adults (b) from 40 59 years old
- Elderly (ages 60+)
 - Elderly (a) from 60 69 years old
 - Adults (b) from 70+ years of age.

The age profile for the Inner West LGA is presented in Figure 4.3 in comparison with the Greater Sydney according to the 2016 census data.



Source: Australian Bureau of Statistics 2016

Figure 4.3 Age Profile of Inner West in Comparison with Greater Sydney

The predominant service age groups within the Inner West LGA are parents (aged 35 to 49) and the young workforce (aged 25 to 34). Comparatively, there is a higher proportion of these age groups compared to Greater Sydney.


In comparison, the proportion of school children (aged 5 to 17) are much lower. The community profile indicates a middle-aged population and an emerging younger and elderly population. This presents the current challenge to provide safer pedestrian facilities and crossings for school children, and slower travelling or immobile pedestrians.

Typically, the parents demographic group requires good footpath and kerb ramp connectivity to properly navigate with a pram or walk young children who may be less experienced and vulnerable.



4.3 Employment in the Inner West

Employment numbers in the Inner West LGA have increased approximately 6.9% from 2011 to 2016. This increase in employment may be the result of the emerging young workforce and current middleaged population. A summary of the employment industry profile within the Inner West LGA is shown in Figure 4.4.



Source: Australian Bureau of Statistics 2016

Figure 4.4 Employment Industry Profile of Inner West

The key employment industries within the Inner West are the professional, scientific, and technical services, health care and social assistance, and education and training. The greatest changes to employment sectors from 2011 to 2016 were a reduction to manufacturing and wholesale trade, and an increase to professional, scientific and technical services, and construction.

The employment profile further reiterates the current demographics of the middle-aged and emerging young population.

4.4 Journey to Work data

ABS Journey to Work (JTW) data was used to gain an understanding of work locations and typical modal shares for trips to work by the residents of the LGA.

Key JTW statistics include:


- Approximately 43% of employed residents travel to the City of Sydney for work, followed by the Inner West (20%) and North Sydney (4%)
- 'Outbound' commute trips outside the Inner West make up 77% of residents within the area
- Approximately 31% of workers within the Inner West are residents of the area, followed by residents from Canterbury-Bankstown (12%) and City of Sydney (6%) LGA's
- 'Inbound' commute trips to the Inner West make up 69% of workers within the area
- The data shows that there is a higher proportion of 'outbound' journeys to work outside of the Inner West, with a relatively similar proportion of 'inbound' commute trips and a low level of 'local' journeys






- The predominant mode of transport for Inner West residents is by private car, as a driver or passenger (39% combined)
- 37% of workers travel by public transport including:
 - Train (25%)
 - Bus (11%)
 - Ferry (1%).
- Approximately 5% of people walk to work.

Figure 4.5 shows the place of employment for residents within the Inner West and Figure 4.6 shows the travel modes for Inner West residents commuting to work.









Source: Australian Bureau of Statistics 2016

Figure 4.6 Travel Mode Share of Inner West Residents



The data shows that the total number of people using public and active transport are similar to the number of people using private cars. Pedestrian activity forms part of every journey, either at the start or end of each travel mode, as people will move from their mode of transport to their destinations (i.e. school, sporting fields, work, etc.). This incidental activity highlights the importance of the active transport network.

4.5 Transport Characteristics

4.5.1 Travel characteristics

The Inner West LGA is well serviced by public transport with multiple forms available including bus, heavy rail, light rail, and ferry services. These services provide connectivity within the Inner West, to Greater Sydney, and the Greater Western Sydney region. There are three rail corridors providing east-west connectivity in the central region, and the southern extents of the Inner West. The Light Rail extends the connectivity within the Inner West through the north-south direction and towards the city. The northern region of the Inner West is primarily serviced by bus and ferry services.

The Inner West is also well connected through an extensive network of footpaths throughout a significant portion of the area to town centres, public transport, parks, and various attractors.

4.5.2 Public Transport

Figure 4.7 shows the various public transport routes, stops and stations servicing the Inner West LGA.


Bus

There are over 25 bus routes servicing the Inner West. Table 4.1 is a summary of the key bus routes within the Inner West.

Bus Service	Destination 1	Destination 2
M30	Spit Junction	Sydenham
M10	Leichhardt	Randwick
308	Marrickville	City
348	Wolli Creek	Bondi Junction
352, 355	Marrickville	Bondi Junction
412, 413	Campsie	City
418	Bondi Junction	Burwood
422	Kogarah	City
423, L23, 426	Kingsgrove and Dulwich Hill	City
425	Tempe	Dulwich Hill
428, L28	Canterbury	City
444, 445	Balmain East Wharf	Campsie
461	Burwood	City
480, 483	Strathfield	City
438, L38	Abbotsford	City
439, L39	Mortlake	City

Table 4.1: Key Bus Services





Source: Council GIS Data

Figure 4.7 Public Transport within the Inner West



Train

There are four train lines servicing 10 train stations within the Inner West. These are:

- **T3 Bankstown Line** Dulwich Hill, Marrickville, Sydenham, St Peters. Services to the City or to Liverpool/Lidcombe via Bankstown.
- **T4 Eastern Suburbs & Illawarra Line** Sydenham, Tempe. Services to Bondi Junction via the City, or to Mortdale/Waterfall/Cronulla.
- **T2 Inner West & South Line** Newtown, Stanmore, Petersham, Lewisham. All-stations services to the City or to Homebush.
- **T2 Airport Line** (weekday peak only) Sydenham. Express services to the City (morning peak) and to Campbelltown (afternoon peak).

Light Rail

The L1 Dulwich Hill Line connects Dulwich Hill and Central via Leichardt and Pyrmont. Light Rail stations serviced by this route are:

- Dulwich Hill
- Dulwich Grove
- Arlington
- Waratah Mills
- Lewisham West

- Taverners Hill
- Marion, Hawthorne
- Leichhardt North
- Lilyfield
- Rozelle Bay

Ferry

There are three wharfs within the Inner West towards the northern region of Balmain which are serviced by two Sydney Ferries services, including:

- F3 Parramatta River Service Birchgrove Wharf (at Louisa Road), and Balmain Wharf (at Thames Street)
- F4 Darling Harbour Service Balmain East Wharf (at Darling Street).

These services provide connectivity to and from Parramatta River, Pyrmont Bay, and Circular Quay.



5. PAMP Focus Areas

5.1 Overview

The Inner West is comprised of 26 suburb areas, including:

- Annandale
- Ashbury (Partially)
- Ashfield
- Balmain
- Balmain East
- Birchgrove
- Camperdown
- Croydon (Partially)
- Croydon Park (Partially)
- Dulwich Hill
- Enmore
- Haberfield
- Hurlstone Park (Partially)

- Leichhardt
- Lewisham
- Lilyfield
- Marrickville
- Mascot (Partially).
- Newtown
- Petersham
- Rozelle
- St Peters
- Stanmore
- Summer Hill
- Sydenham
- Tempe


The Inner West is primarily comprised of low to medium density residential, retail and commercial within suburb core centres, and industrial towards the south-eastern extents. There are also a high number of parks and educational areas within the Inner West.


When developing a PAMP, certain land-uses are considered key pedestrian attractors and generators of trips. Typically, these include:

- Shopping centres and main streets
- Educational facilities
- Hospitals and medical centres
- Aged care facilities
- Childcare centres, pre-schools, out of school hours care facilities
- Community halls and facilities, neighbourhood centres, youth centres
- Parks and recreational facilities
- Public transport facilities.

It is also typical for suburbs to have a core town centre which usually includes groups of these attractors and generators which are focus areas due to high pedestrian activity. The key pedestrian attractors and generators within the Inner West is presented in Figure 5.1. Public transport routes and stations and key areas of the Inner West are illustrated in Figure 4.7.











6. RESEARCH AND REVIEW

6.1 Overview

The purpose of this chapter is to align this PAMP with other related plans, as required in TfNSW PAMP Guidelines. These include State Government plans, Regional plans, local planning documents and other relevant plans. A summary of relevant strategies is provided in this section.

6.2 State Government Plans

6.2.1 Eastern City District Plan

The Eastern City District Plan provides a 20-year plan to manage growth and achieve the 40 year vision, while enhancing Greater Sydney's liveability, productivity and sustainability into the future. This will see the Eastern City District become more innovative and globally competitive, carving out a greater portion of knowledge-intensive jobs from the Asia Pacific Region. The vision will improve the District's lifestyle and environmental assets.

The plan informs local strategic planning statements and local environmental plans, the assessment of planning proposals as well as community strategic plans and policies. It aims to achieve the objectives of the overarching Metropolis of Three Cities region plan, built on a vision of three cities where most residents live within 30 minutes of their jobs, education and health facilities, services

It provides direction on

- Infrastructure
- Liveability
- Productivity
- Sustainability

Inner West LGA lies within the Eastern City District.

6.3 Local Plans and Strategies

6.3.1 Community Strategic Plan


The Community Strategic Plan (CSP) identifies the community's vision for the future, long-term goals, strategies to get there and how to measure progress towards that vision. The Plan:

- Informs the strategic decision-making that will shape our future community and environment
- Protects and enhances the community's values and everything that makes Inner West unique
- Paves the way for the future by anticipating change and the impacts of that change on the community, economy and environment
- Achieves inclusivity, sustainability, accountability and innovation in service delivery

The development of Our Inner West 2036 involved thousands of people who participated through a series of engagement activities in 2016 and 2017.








This reflects the values of the Inner West community, underpins community expectations of how Council will interact with its residents and is the foundation for all decision-making, actions taken and management of resources.

6.3.2 Inner West Integrated Transport Plan (ITS)



Going Places: an Integrated Transport Strategy for Inner West, aims to address these transport challenges and provide strategies and actions that move towards a transport future focusing on active and sustainable modes of transport, and land-use planning approaches to support these modes of transport.

The Strategy proposes a vision for transport in the future focused on active and sustainable transport modes. It considers important values for the future network and develops a set of principles. The strategy establishes a hierarchy that prioritises people and sustainable modes of transport over private and polluting vehicles.

The ITS outlines a number of strategic pedestrian routes throughout the LGA, linking key centres and identifying potential active transport corridors. These routes have formed the skeleton of the pedestrian network across the LGA under this PAMP.

6.3.3 Inclusion Action Plan

The Inner West Council Inclusion Action Plan (for People with a Disability) outlines Council's commitment to respecting the rights and improving opportunities for people with a disability of all ages, to participate fully in community life.

The key objectives of the IAP 2017-21 are to:



- Assist Council to realise a vision of the Inner West for people experiencing or living with a disability
- Create an accessible and inclusive community that provides the same range of opportunities to all
- Promote and uphold the human rights of people with a disability
- Facilitate the exercise of those rights
- Promote the independence and social and economic inclusion of people with disability
- Assist Council to meet its obligations under the Disability Inclusion Act, 2014 (NSW) and thereby the UNCRPD • Articulate all the above into strategies and actions that will inform Council practice and be delivered through Council's Integrated Planning and Reporting Framework (IPRF)



6.4 Local Plans and Projects

6.4.1 Greenway – Cooks River to Iron Cove



The GreenWay is a 5.8km environmental and active travel corridor linking the Cooks River at Earlwood with the Parramatta River at Iron Cove. The GreenWay mostly follows the route of the Inner West Light Rail and Hawthorne Canal and features bike paths and foreshore walks, cultural and historical sites, cafes, bush care sites and a range of parks, playgrounds and sporting facilities.

The GreenWay Master Plan was adopted by Inner West Council in August 2018 and guides the delivery of landscaping and infrastructure within the corridor over the next 15 years. It establishes the GreenWay as an integrated ecological and active transport corridor that facilitates a range of recreation opportunities and incorporates local places for culture and art.


Sections of the greenway have been constructed, predominantly along Hawthorne Canal between Leichardt and Haberfield. The section following the Inner West Light Rail corridor is yet to be developed. The connections to and from the Greenway to the surrounding pedestrian network is included in this PAMP.

6.4.2 Parramatta Road Corridor Urban Transformation Strategy

The Parramatta Road corridor has been earmarked as an urban renewal corridor that will be the focus for increased ho using, economic activity and social infrastructure.

The corridor will be transformed over the next 30 years through implementation of the Parramatta Road Urban Transformation Strategy, developed by urban Growth NSW, specifically providing:

- A long-term vision for the transformation of the Parramatta Road Corridor
- An integrated plan that includes land use and development intensity, public transport and walking and cycling initiatives, green space and links, and key infrastructure focused in eight growth Precincts



- Guiding principles for land use, transport, development and public domain, which will apply to all land within the Corridor
- Precinct Plans and associated building envelopes for each Precinct, providing more detailed principles and targets for growth and development, and actions for implementation.

The Strategy outlines a number of precincts adjacent to Parramatta Road as part of the revitalisation of the corridor with the aim of creating place making opportunities. These precincts include:

- Taverners Hill Precinct around Taverners Hill Light Rail Station, Leichardt
- Leichardt Precinct around Norton Street, Leichardt
- Camperdown Precinct around Pyrmont Bridge Road, Gordon Street, Camperdown

Priority pedestrian routes have also been identified in relation to each precinct and have been considered as part of this PAMP.





6.5 Previous PAMPs

The previous Council's which now make up the Inner West have previously developed PAMPs for their respective LGA. This includes:

- Marrickville Council PAMP – 2009
- Leichardt PAMP 2014
- Ashfield PAMP 2016.

6.5.1 Marrickville PAMP (2009)

The Marrickville PAMP was prepared by Arup Planning in 2009. The study included the entire former Marrickville LGA, including the suburbs of Petersham, Lewisham, Stanmore, Newtown, Enmore, Dulwich Hill, Marrickville, St Peters, Sydenham and Tempe.

The PAMP identified several deficiencies with the pedestrian network and presented a recommended action plan with estimated works totalling \$870,000 over 10 years.

6.5.2 Leichhardt PAMP (2014)

The Leichhardt PAMP was prepared by Urban Arc in 2014. The study included the entire former Leichhardt LGA, including the suburbs of Leichhardt, Annandale, Lilyfield, Rozelle, Balmain, Balmain East, and Birchgrove.

The Leichardt PAMP focussed on key commercial areas in Leichardt, Rozelle and Balmain, and included an action Plan with estimated works totalling \$946,580.

6.5.3 Ashfield PAMP (2016)

The Ashfield PAMP was prepared by Calibre Consulting in 2016. The study included the entire former Ashfield LGA, including the suburbs of Ashfield, Haberfield, Summer Hill, and parts of Croydon, Croydon Park, Ashbury, and Hurlstone Park.

The Ashfield PAMP included the main commercial centres and villages and routes along main corridors and local street surrounding these centres. The developed PAMP action plan identified 199 recommendations with no estimation of total cost.

6.6 Planned Infrastructure and Major Developments

6.6.1 Sydney Metro

The expansion of the Sydney Metro network will see two new Metro lines running east west from Sydney CBD, including:

- Sydney Metro Southwest Sydney CBD to Bankstown via Sydenham
- Sydney Metro West Sydney CBD to Parramatta CBD

The metro will provide a number of new public transport options for Inner West residents, creating a further need to develop a pedestrian network capable of servicing the increased demand as users walk to and from stations.

Relevant stations with the Inner West LGA include:

Sydney Metro Southwest

- Sydenham
- Marrickville
- **Dulwich Hill**



Five Dock (Canada Bay LGA)

Sydney Metro West

White Bay



Inner West Pedestrian Access and Mobility Plan: Draft Report Project: P4909 Version: 002



6.6.2 WestConnex

Current WestConnex construction within the Inner West includes Rozelle interchange, with project sites primarily located near Anzac Bridge and Iron Cove Bridge.

The Rozelle Interchange, which is expected for completion in 2023 connects the M4-M5 Link to the Anzac Bridge, Iron Cove Bridge, and the future Western Harbour Tunnel via the Iron Cove Link . The Rozelle Interchange is being built almost entirely underground, freeing up space for a new 10 hectare regional park on the surface and active transport links through the area.





7. PEDESTRIAN CRASH DATA REVIEW

7.1 Overview

The NSW Speed Zoning Guidelines recommend a minimum of three years of crash data for a statistical crash analysis. For this assessment, crash data recorded within the Inner West LGA between January 2015 and October 2019 was sourced from Council, representing a five-year period. The crash assessment focused on identifying any trends and crash clusters within the LGA for pedestrian involved crashes.

During the five-year period, there was a total of 2,813 crashes recorded. Pedestrian related crashes comprised of 11.5% of all crashes with a total of 324 crashes. When broken down by year, the number of pedestrian crashes varied between 52 to 84 crashes, as shown in Figure 7.1.



Figure 7.1 Total Number of Pedestrian Crashes for Inner West LGA

The overall trend over the 5-year period is a decreasing number of pedestrian crashes. Pedestrian crashes resulting in fatalities varied between one or two crashes per year.

Figure 7.2 shows all recorded pedestrian involved crashes within the Inner West LGA.






Figure 7.2 Inner West LGA Crash Map - Pedestrian Involved Crashes

7.2 Crash Summary by Suburb

Table 7.1 summarises the total number of crashes and the pedestrians involved per suburb.



Suburb	Total Crashes	Pedestrian Crashes	Pedestrian Crashes in Suburb (%)	Total Pedestrians (%)
Annandale	108	9	8.3%	2.8%
Ashfield	332	48	14.5%	14.8%
Balmain	49	5	10.2%	1.5%
Balmain East	3	1	33.3%	0.3%
Birchgrove	6	1	16.7%	0.3%
Camperdown	32	1	3.1%	0.3%
Croydon	50	3	6.0%	0.9%
Croydon Park	19	1	5.3%	0.3%
Dulwich Hill	134	23	17.2%	7.1%
Enmore	72	8	11.1%	2.5%
Erskineville	5	0	0.0%	0.0%
Haberfield	154	11	7.1%	3.4%
Hurlstone Park	19	2	10.5%	0.6%
Leichhardt	208	22	10.6%	6.8%
Lewisham	79	3	3.8%	0.9%
Lilyfield	121	5	4.1%	1.5%
Marrickville	401	70	17.5%	21.6%
Mascot	10	1	10.0%	0.3%
Newtown	145	27	18.6%	8.3%
Petersham	189	16	8.5%	4.9%
Rozelle	198	19	9.6%	5.9%
St Peters	120	10	8.3%	3.1%
Stanmore	117	13	11.1%	4.0%
Summer Hill	69	8	11.6%	2.5%
Sydenham	52	6	11.5%	1.9%
Tempe	121	11	9.1%	3.4%
Total	2813	324	11.5%	100%

Table 7.1: Pedestrian Crashes by Suburb

Ashfield, Dulwich Hill, Marrickville, and Newtown each have the largest composition of pedestrian involved crashes, over 14% of total crashes in the suburb. Ashfield and Marrickville both make up 36.4% of the total number of pedestrian crashes in the LGA.



7.3 Crashes by Street

The highest number of pedestrian related crashes were ranked by streets, as summarised in Table 7.2.

Rank	Street	Total Pedestrian Crashes	(%)
1	Princes Highway	21	6%
2	Enmore Road	16	5%
3	Parramatta Road	16	5%
4	Liverpool Road	16	5%
5	Marrickville Road	16	5%
6	Victoria Road	13	4%
7	Illawarra Road	12	4%
8	New Canterbury Road	12	4%
9	Darling Street	9	3%
10	Marion Street	9	3%
11	Frederick Street	7	2%
12	Addison Road	6	2%
13	Elizabeth Street	6	2%
14	Stanmore Road	6	2%
15	Unwins Bridge Road	6	2%
16-116	Other	153	47%
Total		324	100%

Table 7.2: Highest Number of Pedestrian Involved Crashes by Street

The top 15 roads comprise of over half of all pedestrian involved crashes (53%). The highest number of pedestrian related crashes occurred on Princes Highway, Enmore Road, Great Western Highway, Hume Highway and Marrickville Road.

7.4 Crash Severity

Table 7.3 summarises the crash severity of all vehicle and pedestrian crashes.

Crash Type	Fatal	(%)	Injury	(%)	Non-casualty	(%)	Total
Vehicle	6	0.2%	1701	68.3%	782	31.4%	2489
Pedestrian	7	2.2%	317	97.8%	0	0.0%	324
Total	13	0.5%	2018	71.7%	782	27.8%	2813

Table 7.3: Crash Severity

All pedestrian involved crashes resulted in an injury or a fatality. Details on the severity of pedestrian crashes are as follows:

- 7 (2%) pedestrian crashes resulted in a fatality
- 317 (98%) pedestrian crashes resulted in an injury.



7.5 Crash Type

The pedestrian involved crashes were classified into TfNSW Road User Movement (RUM) codes which indicate the type of crash involved, as shown in Table 7.4.

The majority of pedestrian related crashes involve the RUM codes 0 and 2, contributing to 75% of all pedestrian related crashes. These correspond to pedestrians being hit crossing a road. This data could indicate a recurring issue of poor visibility, high vehicle speeds, low pedestrian awareness, poor pedestrian facilities, or identify common pedestrian behaviours.



Table 7.5 summarises the crash severity of all pedestrian related crash types.

Crash Type	RUM Code	Description	Number of Crashes	(%)
	0	Near side	140	43%
	1	Emerging	26	8%
	2	Far side	104	32%
Pedestrians (on foot or in toy /	3	Playing, working, lying, standing on carriageway	22	7%
pram)	5	Facing traffic	1	0%
	6	On footpath / median	8	2%
	7	Driveway	11	3%
	9	Other, pedestrian	2	1%
Vehicles from opposing direction	21	Right through	1	0%
	30	Rear end	3	1%
	41	U-turn into fixed object / parked vehicle	1	0%
Manoeuvring	46	Reversing into fixed object / parked vehicle	1	0%
	49	Other manoeuvring	2	1%
Off path, on straight	73	Right off carriageway into object / parked vehicle	1	0%
Off path, on curve or turning	87	Off carriageway left on left bend into object / parked vehicle	1	0%
Total			324	100%

 Table 7.4:
 Pedestrian Involved Crash Types



RUM Code	Fatal	Injury	Non-casualty	Total
0	4	136	0	140
1	0	26	0	26
2	2	102	0	104
3	0	22	0	22
5	0	1	0	1
6	0	8	0	8
7	1	10	0	11
9	0	2	0	2
21	0	1	0	1
30	0	3	0	3
41	0	1	0	1
46	0	1	0	1
49	0	2	0	2
73	0	1	0	1
87	0	1	0	1
Total	7	317	0	324

Table 7.5: Crash Type Severity

RUM Codes 0, 2, and 7, resulted in at least one fatality, highlighting the severity of these crash types within the Inner West LGA. Over half (57%) of pedestrian fatalities were a result of a RUM Code 0 crash.

7.6 Crash Clusters

A review of the crash locations show that pedestrian crash clusters occurred within the Marrickville and Ashfield areas, notably along Marrickville Road, Illawarra Road, and Hume Highway / Liverpool Road. These locations correspond to major roads within the LGA, and the high number of pedestrian crashes are likely attributed to the high traffic and pedestrian volumes in these environments.

Table 7.6 show the intersections which have recurring number of pedestrian crashes (more than two).

The recurring RUM Code classifications at these intersections are 0 and 2. The data may indicate that these intersections have recurring issues and require further inspection.

7.7 Crash Data Analysis Summary

Based on the crash data, the highest number of pedestrian related crashes occur in the suburbs of Ashfield, Dulwich Hill, Marrickville, and Newtown, comprising of over half (51.8%) of the total pedestrian related crashes.

The highest number of pedestrian related crashes occurred on, Princes Highway, Enmore Road, Great Western Highway, Hume Highway, and Marrickville Road, comprising of over a quarter (26%) of the total pedestrian crashes. These are large major roads and do not necessarily indicate poor facility. A review of the crash locations show that crash clusters primarily occur within the Marrickville and Ashfield areas, notably along Marrickville Road, Illawarra Road, and Hume Highway / Liverpool Road.



Intersection	RUM Codes	Crashes
Marrickville Road / Buckley Street	0, 2	5
Edgeware Road / Alice Street / Llewellyn Street	0, 2	4
New Canterbury Road / Marrickville Road	0, 2	4
Darling Street / Waterloo Street	0	3
Dulwich Station / Wardell Road / Dudley Street	0 ,2	3
Elizabeth Street / Wood Street	0	3
Enmore Road / Station Street	0, 1	3
Enmore Road outside No. 17 (Oporto / Post Office)	2, 7	3
Frederick Street / John Street	0, 2	3
Hume Highway / Liverpool Road / Holden Street	0	3
Hume Highway / Liverpool Road / Murrell Street	0, 2	3
Johnston Street / Booth Street	2, 7	3
King Street / Erskineville Road	0, 2	3
Liverpool Road / Knox Street	2	3
Marion Street / Flood Street	0, 2	3
Marrickville Road / Livingstone Road	0, 2	3
Marrickville Road / Victoria Road	0, 1	3
Parramatta Road / Cannon Street	2	3
Trafalgar Street / Audley Street	2, 9	3
Unwins Bridge Road / Gleeson Avenue	0	3
Total		64

Table 7.6: Intersection Crash Clusters – Pedestrian Involved Crashes

The highest number of crashes at a particular intersection occurs at the following 3 intersections:

- Marrickville Road / Buckley Street
- Edgeware Road / Alice Street / Llewellyn Street
- New Canterbury Road / Marrickville Road.

The data indicates that these intersections are likely to have safety issues and requires inspection.

The primary crash type (75%) involved the RUM Code 0 and 2 of all pedestrian related crashes, which corresponds with pedestrians being hit while crossing the road. RUM Codes 0, 2, and 7 resulted in at least 1 pedestrian fatality, with over half (57%) associated with a RUM Code 0 crash. This may indicate a recurring issue of poor visibility, high vehicle speeds, low pedestrian awareness, poor pedestrian facilities, or identify common pedestrian behaviours, highlighting the significance of providing further traffic measures or improved pedestrian facilities within the Inner West LGA.



8. DEVELOPMENT OF PRIORITISED PEDESTRIAN NETWORK

8.1 Overview

The primary purpose of the PAMP is to identify the highest priority pedestrian routes, to then define what is needed to upgrade or augment infrastructure along these routes, and to prioritise the proposed new infrastructure.

On this basis, PAMP routes and proposed new infrastructure along these defined routes have been identified in this chapter. This includes 'new links', 'new crossing points' and 'link / crossing upgrades / improvements.

8.2 Route Selection

The defined PAMP routes provide a network of primary pedestrian links within the Inner West. Connecting routes to form networks is important to encourage their wider use for trip origins and destinations. That is, these connected networks have cumulative benefits for the community. These PAMP routes have also been nominated because they connect key attractors and generators. The PAMP routes were selected based on the following considerations:

- Routes identified in previous PAMPs and strategic documentation
- Proximity to key centres and pedestrian attractors / generators, such as village centres and railway stations
- Links through suburbs and between key centres and major routes
- Initial community engagement information and feedback (i.e. continuous, safe and connected or highly demanded routes)
- Road hierarchy
- Location of pedestrian crashes.

The network of the PAMP priority routes for Inner West was developed in consultation with Council and is presented in Figure 6.1 and **Appendix B**.





Figure 8.1 Inner West PAMP Routes



8.3 Route Hierarchy

8.3.1 Route Segments

To assist with the process of prioritising any new or missing links and to determine where upgrades need to occur first, each of the PAMP routes were split into smaller sections for scoring purposes. These route segments were created based on:

- Roads: when possible, a segment is entirely contained in a single road.
- Length of segment: to evenly split the length along the PAMP route, or to split the route at logical locations.

These PAMP route segments were created with the objective to develop an equitable basis for scoring to help establish an even distribution of scoring.

8.3.2 Scoring Criteria

The PAMP routes were assigned a hierarchy: primary, secondary, or tertiary. A higher order level was given to routes servicing multiple high trip attractors and generators such as town centres and key pedestrian links such as train stations, public transport, schools and parks. A higher order level was also assigned to links that were identified within previous strategic documents and key roads. Emphasis was also given to areas of frequent crash history.

The scoring criteria for prioritising the PAMP routes is summarised in Table 8.1.

Category	Criteria	Performance Conditions	Score
Land Use	Number of Attractors /	More than 30	12
	generators within 200m	More than 20	7
		More than 10	3
		More than 0	1
	Land Use Type	Retail and commercial (key centres polygon)	15
		Railway Stations (public transport, points)	15
		Education facilities (schools)	15
		Recreation (parks, pools, sport)	10
Road Hierarchy	Road Classification	State Road	10
		Regional Road	5
		Local Road	0
Safety	Identified pedestrian crashes	More than 5	12
		More than 1	6
		No crashes	0
Strategic Route	Defined strategic pedestrian	Strategic Route	12
	routes within the ITS	Non-Strategic Route	0

Table 8.1: PAMP Route Criteria and Scoring



8.3.3 Segment Ranking / Priority

Based on the scoring system presented in Table 8.1, the following criteria in Table 8.2 was applied to determine the rank of each route segment. A map of resulting route segment rankings is shown in Figure 8.2 and **Appendix C**.

Table 8.2: Segment Ranking

Priority	Scoring Criteria
Primary	42 - 101
Secondary	15 - 41
Tertiary	0 -14






Figure 8.2: Route Segment Rankings



9. PEDESTRIAN ROUTE AUDITS

9.1 Methodology

Existing facility audits were undertaken during the period between 1 December 2020 to 15 March 2021, spanning over three months. These audits were undertaken to:

- Identify gaps, missing links and footpaths in the existing network
- Identify issues, accessibility or crossing deficiencies and maintenance needs
- Investigate locations areas identified by community feedback high pedestrian or crash history.

Audits were undertaken on all the identified PAMP routes, in which issues or deficiencies were identified based on Criteria 5C outlined in *Austroads Guide to Road Design Part 6A: Pedestrian and Cyclist Paths (AGRD Part 6A)* which are:

- Connectivity: is the route connected to the rest of the network?
- **Comfort:** is the route well maintained, smooth and unobstructed? Is the route attractive and free from excessive traffic noise?
- **Convenience:** are there adequate crossing opportunities? Are key destinations within walking distance of one another?
- Conviviality: how pleasant is the walking environment?
- Conspicuousness: are the walking route clearly lit and easy to follow?

The audit considered footpaths, kerb ramps, crossing points, and other pedestrian facilities, however, was limited to 'high level' issues that would fundamentally impact the use of the paths or access to the paths. Some examples of issues found during the audits and potential treatments are provided in Table 9.1.




Table 9.1: Audit Issues Examples



Description

Narrow Footpaths:

 Existing footpaths which appear to provide insufficient width for pedestrians of all abilities.

Treatment

- Widen footpath
- Investigate and install Shared Zone
- Realign kerb and provide footpath

Example: Narrow footpath



Crossing Deficiencies:

- Insufficient or unsafe crossing points
- Missing pedestrian crossing facilities, including kerb ramps or refuge island
- Poorly orientated / aligned kerb ramps and crossing infrastructure

Treatment

- Reconstruct kerb ramps to correct alignment / orientation
- Reconstruct refuge island
- Reduce crossing distance by installing kerb extension / refuge island

Example: Poorly aligned kerb ramp – leads pedestrians onto roadway

Obstructions:

- Any obstructions preventing or causing difficulty in pedestrian access, connectivity, or crossing, such as:
 - Power poles
 - Trees
 - Electricity boxes
- Maintenance issues which could hinder or narrow pedestrian pathways such as overhanging vegetation.

Treatment

- Relocate or remove obstruction
- Refer to ongoing Council maintenance team (vegetation issues)

Example: Power pole narrows available footpath



Inner West Pedestrian Access and Mobility Plan: Draft Report Project: P4909 Version: 002



Description

Access:

 Inaccessibility or difficulty in traversing through locations for pedestrians of all abilities, such as footpaths with only stairs and no ramps

Treatment

- Install accessible ramp
- Provide alternative path
- Reconstruct footpath

Example: Stair access only

Picture



Connectivity:

Areas where the pathway does not provide continued ease of movement from one point to another.

Treatment

- Re-align kerb and provide footpath
- Provide alternative route

Example: footpath disconnected due to sudden change in level (wall)



- Damaged or poor construction of infrastructure such as footpaths/surfaces and accessibility indicators
- Pedestrian related signage which are extremely faded or obstructed by graffiti or damage.

Treatment

- Re-construct footpath pavement or concrete panel
- Repair utility pit

Example: Uneven footpath surface







Description

Safety Issues:

- Potentially hazardous locations for pedestrians of all abilities due to:
 - Steep crossfall
 - Trip hazards
 - Poor visibility
 - Inappropriate vehicle speeds.

Treatment

- Investigate installing raised pedestrian crossing
- Install traffic calming
- Reconstruct footpath pavement
- Provide warning signage / line marking

Example: Pedestrian crossing requiring further traffic calming.

9.2 Audit Findings

The audit identified around 4,350 issues that were categorised into eight types:

- Access
- Connectivity
- Crossing deficiency
- Infrastructure condition
- Missing paths
- Obstruction
- Narrow path
- Safety issue

Table 9.2 summarises the number of issued identified for each type.

Table 9.2: Audit Issues by Type

Issue Type	Number
Crossing deficiency	2256
Obstruction	1269
Infrastructure condition	537
Safety issue	113
Narrow footpath	74
Missing footpath	55
Access	42
Connectivity	31

Over 50% of the identified issues related to crossing deficiency with the majority of these being poorly aligned kerb ramps. Obstructions to footpaths were also high (26%) with the key issues being overgrown vegetation as well a street infrastructure (bins, poles, seats etc.) narrowing footpaths.

The deficiencies are shown in Figure 9.1. Detailed maps are provided in Appendix D.



45






Figure 9.1: Pedestrian Route Deficiencies



9.3 Audit Limitations

During the auditing process, some areas were not able to be audited due to construction activities or strategic routes identified which are not yet developed (such as within the light rail corridor). While these areas were not audited, it is extremely likely that these routes would be developed to modern standards and guidelines which would provide suitable pathways and should be reviewed in future following the end of construction activities.

Table 9.3 outlines the locations which were not audited due to these limitations.

Suburb	Location	Limitation
Annandale	Bignell Lane between Mallet Street and Gordon Street	Undeveloped strategic route
Annandale	White Creek Park	Undeveloped strategic route
Annandale	Links across City West Link to Gordon Street and Lilyfield Road	Undeveloped strategic route
Annandale	Railway Parade between Bayview Crescent and The Crescent	Construction – Rozelle Interchange works
Annandale	The Crescent / Johnston Street Intersection	Construction – Rozelle Interchange works
Ashfield	Alt Street near Charlotte Street	Construction
Ashfield	Parramatta Road near Alt Street	Construction - WestConnex
Camperdown	Parramatta Road near Mallet Street	Construction - WestConnex
Dulwich Hill	Hercules Street / Consett Street Intersection	Construction
Dulwich Hill	Hercules Street between Consett Street and bridge over Light Rail	Construction
Dulwich Hill	Old Canterbury Road near Hampstead Road	Construction
Dulwich Hill	Old Canterbury Road near Constitution Road	Construction
Dulwich Hill	Weston Street near Channel Street	Construction
Haberfield	Parramatta Road near Wattle Street	Construction - WestConnex
Leichardt	Flood Street near Lords Street	Construction
Leichardt	Derbyshire Road near Balmain Road	Construction
Lewisham	McGill Street	Construction
Marrickville	Smidmore Street between Edinburgh Road and Edgeware Road	Construction – Marrickville Metro Shopping Centre
Marrickville	Murray Street between Smidmore Street and Edinburgh Road	Construction – Marrickville Metro Shopping Centre
Marrickville	Edinburgh Road / Murray Street Intersection	Construction – Sydney Metro
Marrickville	Sydney Steel Road	Construction – Sydney Metro
Petersham	Petersham Station	Construction – Station upgrades
Petersham	Trafalgar Street between Audley Street and Shaw Street	Construction – Station upgrades
Rozelle	Gordon Street / Butt Street Intersection	Construction - WestConnex
Rozelle	Byrnes Street / Bay Run Intersection near King George Park	Construction

 Table 9.3:
 Locations Not Audited



Suburb	Location	Limitation	
Rozelle	Bay Run / Byrnes Street near Victoria Road	Construction - WestConnex	
Rozelle	Victoria Road between Moodie Street to Iron Cove Bridge Construction - WestConn		
Rozelle	Lilyfield Road / Victoria Road Construction - WestCon		
Rozelle	Lilyfield Road southern side opposite Easton Park	Construction - WestConnex	
Stanmore	Gordon Crescent at Douglas Street Cycleway construction		
Summer Hill	Carlton Crescent near Darrell Jackson Gardens	n Gardens Construction	
Summer Hill	Old Canterbury Road near James Street	Construction	
Sydenham	Railway Parade between Gleeson Avenue and Sydenham Road	Construction – Sydney Metro	



10. RECOMMENDED WORKS PROGRAM

10.1 Works Prioritisation

A priority level has been assigned to each identified issue and recommended action, taking into consideration its contribution to pedestrian safety, ease of accessibility, the route hierarchy and the amenity of the surrounding environment.

10.1.1 Prioritisation criteria

The treatment priority criteria were primarily based on the route segment rank and issue category as summarised below

Segment Rank – Primary, Secondary or Tertiary

- Ranked route segments indicates the importance of the sections of route based on expected use and surrounding attractors and generators.
- Primary ranked segments would be mostly representative of key pedestrian areas such as town / village centres, near public transport hubs / stations and strategic corridors (outlined in Section 8.3)
- Issues within primary ranked route segments are given a higher priority

Issue Category

- Prioritises treatment based on the type of issue category
- Issues related to missing paths, crossing deficiencies, access and safety issues are prioritised higher to better improve the pedestrian network or correct current deficiencies presenting safety risks to pedestrians
- Issues related to infrastructure condition and obstruction are prioritised lower as these are mainly related to existing pedestrian facilities

10.1.2 Scoring system

A scoring system was developed to assign a priority to each issue identified, outlined below in Table 10.1.

Criteria	Category	Conditions	Score	
1	Route Segment Rank	Primary	10	
		Secondary	5	
		Tertiary	0	
2	Issue Category	Safety Issue	10	
		Crossing deficiency	10	
		Missing footpath	10	
		Access	10	
		Narrow Footpath	5	
		Infrastructure condition	5	
		Obstruction	0	
		Connectivity	0	
Priority As	signment	· ·	- ·	
High		15 to 20		
Medium		11 to 15		
Low		0 to 10	0 to 10	

Table 10.1: Treatment Priority Scoring Criteria



Based on the above criteria and scoring system, the recommended works program has been prioritised with high priority works to be undertaken first, followed by medium and low.

Figure 10.1 presents the assigned priority for each of the issues and associated action within the study area, also provided in **Appendix E**.




Figure 10.1: Priority Issues and Works



10.2 Implementation Costs

A detailed list of recommended works and costings has been sorted by priority and provided in **Appendix D**.

The estimated cost required to implement these treatments is summarised in Table 10.2.

ltem No.	Туре	Quantity	Unit Cost	Total Cost
1	adjust flood light orientation	3	\$1,000	\$3,000
2	further investigation required	12	\$0	\$0
3	install accessible ramp	17	\$10,000	\$170,000
4	install kerb extension	11	\$10,000	\$110,000
5	install kerb extension - pair	24	\$20,000	\$480,000
6	install kerb extension / refuge island	7	\$10,000	\$70,000
7	install landscaping barriers	1	\$750	\$750
8	install new corner refuge island	2	\$10,000	\$20,000
9	install new footpath	5849m	\$200/m	\$1,169,800
10	install new kerb ramp	868	\$2,500	\$2,170,000
11	install new kerb ramp - pair	929	\$5,000	\$4,645,000
12	install new kerb ramp - pair, and tgsi	1	\$6,000	\$6,000
13	install new kerb ramp - pair, new refuge island	5	\$7,000	\$35,000
14	install new kerb ramp and reconstruct refuge island	1	\$5,000	\$5,000
15	install new lighting	12	\$10,000	\$120,000
16	install new pavement surface	3	\$300	\$900
17	install new pit cover	1	\$250	\$250
18	install new refuge island	27	\$15,000	\$405,000
19	install new shared path signage	2	\$350	\$700
20	install new shared zone signage and delineation	1	\$500	\$500
21	install new signpost	1	\$250	\$250
22	install new speed cushions	1	\$3,000	\$3,000
23	install new tgsi	207	\$650	\$134,550
24	install new tgsi - pair	127	\$1,300	\$165,100
25	install new utility cover	4	\$2,000	\$8,000
26	install new warning pavement marking	1	\$500	\$500
27	install new wheel stops	28	\$1,500	\$42,000
28	install no stopping sign and signpost	3	\$300	\$900
29	install pavement warning message	8	\$150	\$1,200
30	install pedestrian crossing signage	1	\$200	\$200
31	install pedestrian fencing	10m	\$750/m	\$7,500
32	install raised pedestrian crossing	22	\$50,000	\$1,100,000
33	install ramp	3	\$5,000	\$15,000

Table 10.2: Project Costs



ltem No.	Туре	Quantity	Unit Cost	Total Cost
34	install shared path signage	1	\$300	\$300
35	investigate HPAA implementation	9	\$15,000	\$135,000
36	investigate providing pedestrian crossing	1	\$15,000	\$15,000
37	investigate providing raised pedestrian crossing	2	\$15,000	\$30,000
38	investigate shared zone implementation	8	\$15,000	\$120,000
39	notify business/property owner	643	\$0	\$0
40	notify business owner	3	\$0	\$0
41	notify property owner	4	\$0	\$0
42	paint contrasting colour	1	\$150	\$150
43	paint new line marking	1	\$200	\$200
44	re-align crossing and refuge island	1	\$6,000	\$6,000
45	re-align kerb and footpath	2	\$7,500	\$15,000
46	re-construct fence	1	\$150	\$150
47	re-construct footpath pavement	444	\$200	\$88,800
48	reconstruct kerb blister	1	\$1,500	\$1,500
49	re-construct pedestrian fencing	1	\$5,000	\$5,000
50	re-construct refuge island	48	\$15,000	\$720,000
51	refer to maintenance	392	\$0	\$0
52	refer to Marrickville Metro	1	\$0	\$0
53	refer to Transport for NSW	12	\$0	\$0
54	refer to Transport for NSW on installing lifts	2	\$0	\$0
55	relocate bollard	3	\$2,500	\$7,500
56	relocate bus stop pole	1	\$400	\$400
57	relocate light post	5	\$10,000	\$50,000
58	relocate no stopping signage	1	\$300	\$300
59	relocate or remove bench	2	\$400	\$800
60	relocate or remove bike locker	1	\$400	\$400
61	relocate or remove bike rack	1	\$250	\$250
62	relocate or remove bollard	5	\$2,500	\$12,500
63	relocate or remove bus shelter	5	\$5,000	\$25,000
64	relocate or remove bus shelter and signposts	1	\$5,500	\$5,500
65	relocate signpost	38	\$300	\$11,400
66	repaint bollards	1	\$150	\$150
67	repair barrier	1	\$750	\$750
68	repair bollard	3	\$2,500	\$7,500
69	repair pavement marking	1	\$200	\$200
70	repair pavement panel	82	\$200	\$16,400
71	repair pit cover	1	\$2,000	\$2,000



ltem No.	Туре	Quantity	Unit Cost	Total Cost	
72	review and implement shared zone	1	\$40,000	\$40,000	
73	review and install pedestrian crossing	2	\$50,000	\$100,000	
74	review and relocate double pole signpost	13	\$500	\$6,500	
75	review and replace shared path signage	1	\$500	\$500	
76	review footpath trading	1	\$0	\$0	
77	review when land use changes	1	\$0	\$0	
78	top up tree pit	1	\$150	\$150	
79	widen footpath	7618m	\$200/m	\$1,523,600	
Estim	\$13,839,000				
Contingency		1	20% Of Project Estimated Sum	\$2,767,800	
Estim	Estimated Project Sum with Contingency				

Project costings have been sorted by priority and summarised in Table 10.3. It is noted these costs do not include the development and implementation of traffic management plans or the contingency percentage.

Table 10.3:Cost by Priority

Priority	Quantity	Cost
High	839	\$3,406,050
Medium	1378	\$5,586,000
Low	1974	\$4,846,950
Total	4191	\$13,839,000

10.3 Other Costs

10.3.1 Other Pedestrian Routes

While a detailed audit of the PAMP routes was undertaken, a number of issues may exist along other streets within the PAMP study area which were not designated as a priority PAMP route. As such, the cost of addressing these pedestrian and access issues is not included as part of the above cost estimate.

10.3.2 Ongoing Maintenance

Actions deferred to ongoing maintenance across the LGA primarily include actions related to vegetation obstructions (such as overhanging vegetation) and drainage (where drainage is identified as an issue) have not been included as part of the PAMP and is assumed to be under the responsibility of the relevant department and budget within Council.

In addition, costs presented as part of this PAMP include the installation or implementation of treatments and do not include ongoing maintenance costs.



10.3.3 Major Infrastructure and Projects

A number of issues were identified relating to State owned infrastructure or under a major project. This included:

- Accessibility issues at train stations, wharves, and pedestrian bridges over a State road
- Proposed or strategic routes through major infrastructure sites (such as Rozelle interchange)

These items have been assumed to be under the scope of each project or responsibility of transport for NSW and have been excluded from the action associated costs.

10.4 Implementation of Treatments and Further Investigations

The PAMP study has identified the implementation of new shared zones, pedestrian crossings or High Pedestrian Activity Areas (HPAA) to provide a pedestrian facility at certain locations. The following actions are required under the implementation of each treatment:

Shared Zones

- Undertaking a shared zone warrant assessment following TfNSW guidelines (including traffic surveys)
- Design of shared zone
- Approvals and installation of relevant signage and line marking (and other infrastructure)

Pedestrian Crossings

- Undertaking a pedestrian crossing warrant assessment and investigation following TfNSW guidelines (including traffic and pedestrian surveys)
- Design of pedestrian crossing
- Approvals and installation of relevant signage, line marking and physical infrastructure

High Pedestrian Activity Areas (HPAA)

- Undertaking a HPAA assessment following TfNSW guidelines (including traffic surveys)
- Design of HPAA scheme (including signage, line marking and traffic calming)
- Approvals and installation of infrastructure

It should be noted that while a typical expected cost for each of these treatments have been included in the works program, the actual costs associated with these procedures can vary greatly and will be subject to detailed investigation and design.



11. IMPLEMENTATION AND FUNDING

11.1 Potential funding sources

11.1.1 Transport for NSW

TfNSW will generally fund works on state-controlled roads and can be used as a potential source of funding to implement the PAMP action plan.

Actions identified within or across Regional Road and Local Road corridors may be included as part of funding applications to TfNSW.

11.1.2 Development Contribution Plans

The Environmental Planning and Assessment Act 1979 makes allowance for a consent authority to extract money for the provision of public amenity or public services. Should a development increase pedestrian activity or demand then it would be reasonable for Council to seek contribution toward improvements to pedestrian facilities in the area or adjacent to these developments, to provide a link between the development and local pedestrian network or facilities.

Considering the amount of development occurring within the Inner West LGA, obtaining funding from S.7.11 S.7.12 contributions would be a feasible funding source. As such, Council may consider including some of the works as part of their development contribution plans.

11.2 Monitoring and Evaluation

The PAMP is intended to be implemented over the 10-year horizon of this Plan. Funding and budget for recommendations should be identified and set in the budget, and higher priority works be given precedent.

It is typical to have a monitoring program for the PAMP. This would involve:

- Recording of all proposed pedestrian works in a database
- Analysis of crash statistics
- Collection of pedestrian count information
- Periodic updating of the PAMP every five years.



12. CONCLUSIONS AND RECOMMENDATIONS

12.1 Conclusions

The Inner West PAMP presents the investigation and development of an action plan to improve pedestrian connectivity and safety and encourage more walking across the Inner West LGA.

Issues affecting pedestrians were discussed with Inner West Council in addition to undertaking an initial engagement program to gain an insight of issues and pedestrian concerns faced by Inner West residents and visitors.

Major pedestrian infrastructure deficiencies were identified and included the lack of quality crossing provisions and connectivity between parts of the pedestrian network. Other issues included obstructions from street furniture, street posts and vegetation.

Priority PAMP routes were defined, and a comprehensive field audit was undertaken to catalogue issues with footpaths, kerb ramps, crossing points, accessibility issues and pedestrian safety. A number of recommended works are proposed with indicative costs given for each upgrade required. These recommended actions have been prioritised to inform the future works program to be undertaken by Council.

The total cost of the implementation of the identified improvements is approximately **\$13,839,000** with an additional **\$2,767,800** as a 20% project contingency. Most costs arise from the reconstruction of kerb ramps, installation of new footpaths, widening of existing footpaths and implementation of raised pedestrian crossings.

If fully implemented, the proposed works will support pedestrian safety and amenity across the inner West and encourage residents and employees to undertake walking trips for shopping, work and leisure purposes. It is recommended that these works be implemented as funding becomes available from Council and Transport for NSW. Consideration could also be given to include some items in Council's Development Contribution Plans.

